

Symbols

CE certified

Double insulation

Outdoor use

Indoor use

WEEE Directive electric waste controlling

RoHS Restriction of Hazardous Substances

IP20 IP20 protection rating

IP44 IP44 protection rating

IP55 IP55 protection rating

IP65 IP65 protection rating

IP67 IP67 protection rating

24V Voltage

240V Voltage

DC Direct current

AC Alternating current


LED LED light

Extra long life LED light

Colour cable:





LED diodes colour:



LED diodes mix colour:



LED bulbs colour:




Easy connect

A wide range of accessories: connectors, adapters and extension cords allows the decorations to connect and create one universal system.


Always check the voltage!

1.



There are two types of plugs - female and male.


2.



Carefully connect the plugs.

! Before plug-in always check the gasket.

3.



Twist the secure ring to tighten the plugs together.

L-PC-PLRS-6A-2.0-BL/W
Power cord

Sockets	Cable colour
2	

L-T-PLR-1-0,4m-BL/W
T-shape adapter

Sockets	Cable colour
2	

L-FL-PLR-2-0,40M-W/BL
Adapter with 2 sockets

Sockets	Cable colour
2	

L-FL-PLR-3-0,4m-W/BL
Adapter with 3 sockets

Sockets	Cable colour
3	

L-C-PLR-5-0,7m-BL/W
5-sockets adapter

Sockets	Cable colour
5	

L-T-PLR-5-1m-BL/W
T-shape adapter


Sockets	Cable colour
2	

L-T-PLR-7-1,5m-BL/W
T-shape adapter

Sockets	Cable colour
8	

L-T-PLR-16-2m-BL/W
T-shape adapter

Sockets	Cable colour
17	



L-EC-PLR-0,5m-BL/W
Extension cable

~ 50 cm

Sockets	Cable colour
1	

L-EC-PLR-1m-BL/W
Extension cable

~ 100 cm

Sockets	Cable colour
1	

L-EC-PLR-3m-BL/W
Extension cable

~ 300 cm

Sockets	Cable colour
1	

L-EC-PLR-5m-BL/W
Extension cable

~ 500 cm

Sockets	Cable colour
1	

L-EC-PLR-10m-BL/W
Extension cable

~ 1000 cm

Sockets	Cable colour
1	

L-EC(M)DL2W-PLR-0,5m-BL/W
Male plug connector for string light and 2W rope light

~ 50 cm

Pin x2 Shrink tube End cap

Sockets	Cable colour
1	

L-EC(M)/NFL(8 x 16)-PLR-0,3m-W
Set of male plug connector for neonflex

~ 30 cm

Pin x2 Shrink tube End cap

Sockets	Cable colour
1	

L-EC(M)/MSL-PLR-0,3m-W
Set of male plug connector for meteor

~ 30 cm

Pin x2 Shrink tube End cap

Sockets	Cable colour
1	

L-E27-PLR-0,5M
Illumination cable with one E27 socket

~ 50 cm

Sockets	Cable colour
2	


L-E27-PLR-2,5M
Illumination cable with five E27 sockets

~ 250 cm

Sockets	Cable colour
6	

L-PS-PLR-60W-1-100-250/24V


Exterior power supply for LED Strings & LED Rope Lights 24 V



Number of output	Cable colour	IP Rating	Input Voltage	Output Voltage	Output standard	Power
1		IP67	100 - 250 V	24 V	Easy connect	60 W

L-PS-PLR-150W-2-100-250/24V


Exterior power supply for LED strings & LED Rope Lights 24 V




Number of output	Cable colour	IP Rating	Input Voltage	Output Voltage	Output standard	Power
2		IP67	100 - 250 V	24 V	Easy connect	150 W


L-PS-PLR-250W-3-100-250/24V

Exterior power supply for LED strings & LED Rope Lights 24 V




Number of output	Cable colour	IP Rating	Input Voltage	Output Voltage	Output standard	Power
3		IP67	100 - 250 V	24 V	Easy connect	250 W






LED
String Light

LED string light



Outdoor

STATIC



L-PLR-100(50*2)-10M-W-W-BKZ-E-IP67

without power cord



Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			240V


L-PLR-100(50*2)-10M-W-WW-BKZ-E-IP67

without power cord




Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			240V

LED string light



Outdoor

STATIC



L-PLR-100(50*2)-10M-BG-W-BKZ-E-IP67

without power cord




Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			240V

L-PLR-100(50*2)-10M-BG-WW-BKZ-E-IP67


without power cord



Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			240V




LED string light



Outdoor

FLASHING



L-PLR-100(50*2)-10M-W-W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			



L-PLR-100(50*2)-10M-W-WW-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			




L-PLR-100(50*2)-10M-W-WW/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			




LED string light



Outdoor

FLASHING



L-PLR-100(50*2)-10M-BG-W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			



L-PLR-100(50*2)-10M-BG-WW-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			




L-PLR-100(50*2)-10M-BG-WW/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			




LED string light



Outdoor

FLASHING




L-PLR-100(50*2)-10M-W-R/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			




LED string light



Outdoor


FLASHING



L-PLR-100(50*2)-10M-W-G/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			



L-PLR-100(50*2)-10M-W-B/W-FB-BKZ-E-IP67

without power cord


Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			




L-PLR-100(50*2)-10M-W-P/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			




LED string light



Outdoor

FULL FLASH



L-PLR-100(50*2)-10M-W-W-FFB-BKZ-E-IP67

without power cord



Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			240V


L-PLR-100(50*2)-10M-W-WW-FFB-BKZ-E-IP67

without power cord




Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			240V

LED string light



Outdoor

FULL FLASH



L-PLR-100(50*2)-10M-BG-W-FFB-BKZ-E-IP67

without power cord




Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			240V

L-PLR-100(50*2)-10M-BG-WW-FFB-BKZ-E-IP67


without power cord



Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			240V




LED string light



Indoor

STATIC




L-PL-100(50*2)-10M-TR-W-BKZ-E-IP20
without power cord




Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			

LED string light



Indoor

FLASHING



L-PL-100(50*2)-10M-TR-W-FB-BKZ-E-IP20
without power cord




Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			

L-PL-100(50*2)-10M-TR/GL-WW-BKZ-E-IP20
without power cord



Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			

L-PL-100(50*2)-10M-TR/GL-WW-FB-BKZ-E-IP20
without power cord



Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			




L-PL-100(50*2)-10M-TR/GL-WW/W-FB-BKZ-E-IP20
without power cord




Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 30 sets in series			

LED string light



Outdoor

STATIC



L-PLR-100(50*2)-10M-24V-W-W-BKZ-E-IP67
without power cord




Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V

L-PLR-100(50*2)-10M-24V-W-WW-BKZ-E-IP67
without power cord




Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V

LED string light



Outdoor

STATIC



L-PLR-100(50*2)-10M-24V-BG-W-BKZ-E-IP67
without power cord



Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V


L-PLR-100(50*2)-10M-24V-BG-WW-BKZ-E-IP67
without power cord



Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V




LED string light



Outdoor


FLASHING




L-PLR-100(50*2)-10M-24V-W-W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V




LED string light



Outdoor

FLASHING



L-PLR-100(50*2)-10M-24V-BG-W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V



L-PLR-100(50*2)-10M-24V-W-WW-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V



L-PLR-100(50*2)-10M-24V-BG-WW-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V



L-PLR-100(50*2)-10M-24V-W-WW/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V




L-PLR-100(50*2)-10M-24V-BG-WW/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V



LED string light



Outdoor

FLASHING

L-PLR-100(50*2)-10M-24V-W-R/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			



L-PLR-100(50*2)-10M-24V-W-B/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			



L-PLR-100(50*2)-10M-24V-W-G/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			




L-PLR-100(50*2)-10M-24V-W-P/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			



LED string light



Outdoor

FLASHING

L-PLR-100(50*2)-10M-24V-BG-R/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			



L-PLR-100(50*2)-10M-24V-BG-B/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			



L-PLR-100(50*2)-10M-24V-BG-G/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			




L-PLR-100(50*2)-10M-24V-BG-P/W-FB-BKZ-E-IP67


without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			






LED string light



Outdoor

STATIC




L-PLO-100(50*2)-10M-24V-TR-W-BKZ-E-IP44

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V




LED string light



Outdoor

FLASHING



L-PLO-100(50*2)-10M-24V-TR-W-FB-BKZ-E-IP44

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V



L-PLO-100(50*2)-10M-24V-TR/GL-WW-BKZ-E-IP44

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V



L-PLO-100(50*2)-10M-24V-TR/GL-WW-FB-BKZ-E-IP44


without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V




Scan to see the video

LED string light




Outdoor

STATIC




L-PLO-100(50*2)-10M-24V-TR/GL-WW/W-FB-BKZ-E-IP44
without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V




LED string light




Outdoor

FLASHING




L-PLO-100(50*2)-10M-24V-TR/GR-G/W-FB-BKZ-E-IP44
without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V



L-PLO-100(50*2)-10M-24V-TR/R-R/W-FB-BKZ-E-IP44
without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V



L-PLO-100(50*2)-10M-24V-TR/P-P/W-FB-BKZ-E-IP44
without power cord


Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V



L-PLO-100(50*2)-10M-24V-TR/B-B/W-FB-BKZ-E-IP44
without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
100	max. 8 sets in series			24V





**Icicle LED
Light**



Bakoma

Centrum dla odmiany

MARK


RODZENIOWY

KATOWICE RYNEK

W czasie trwania imprezy czynne będą fontannki




Icicle LED light



Outdoor

FLASHING



L-RPLR-60(30*2)-3,0x0,5M-W-W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
60	max. 20 sets in series			240V



L-RPLR-60(30*2)-3,0x0,5M-W-WW/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
60	max. 20 sets in series			240V




Icicle LED light



Outdoor

FLASHING



L-RPLR-180(60*3)-4,5x0,8M-W-W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
180	max. 15 sets in series			240V



L-RPLR-180(60*3)-4,5x0,8M-W-WW/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
180	max. 15 sets in series			240V






Icicle LED light



Outdoor

FLASHING



L-RPLR-300(75*4)-4,0x1,5M-W-W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
300	max. 10 sets in series			



L-RPLR-300(75*4)-4,0x1,5M-W-WW/W-FB-BKZ-E-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
300	max. 10 sets in series			




Icicle LED light



Indoor

FLASHING



L-RPL-180(60*3)-4,5x0,8M-TR-W-FB-BKZ-E-IP20

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
180	max. 15 sets in series			




L-RPL-180(60*3)-4,5x0,8M-TR-WW/W-FB-BKZ-E-IP20

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
180	max. 15 sets in series			






LED
Light curtains








LED light curtains



Outdoor

FLASHING



L-PLRS-1516-2,0x1,5M-W-W-FB-EL-E-BKZ-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
240	max. 10 sets in series			



L-PLRS-1516-2,0x1,5M-W-WW/W-FB-EL-E-BKZ-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
240	max. 10 sets in series			



LED light curtains



Outdoor

FULL FLASH

L-PLRS-1516-2,0x1,5M-W-W-FFB-EL-E-BKZ-IP67


without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
240	max. 10 sets in series			






LED light curtains



Outdoor

FLASHING



L-PLRS-2416-2,0x3,0M-W-W-FB-EL-E-BKZ-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
384	max. 10 sets in series			



L-PLRS-2416-2,0x3,0M-W-WW/W-FB-EL-E-BKZ-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
384	max. 10 sets in series			



LED light curtains



Outdoor

FULL FLASH


L-PLRS-2416-2,0x3,0M-W-W-FFB-EL-E-BKZ-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
384	max. 10 sets in series			




LED light curtains



Outdoor

FLASHING



L-PLRS-4815-2,0x6,0M-W-W-FB-E-BKZ-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
720	max. 6 sets in series			




L-PLRS-4815-2,0x6,0M-W-WW/W-FB-E-BKZ-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
720	max. 6 sets in series			



LED light curtains




Outdoor

FULL FLASH

L-PLRS-4815-2,0x6,0M-W-W-FFB-E-BKZ-IP67


without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
720	max. 6 sets in series			




In collaboration with Bruno Dolis

LED light curtains



Outdoor

FLASHING



L-PLRS-7215-2,0x9,0M-W-W-FB-E-BKZ-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
1080	max. 5 sets in series			240V




LED light curtains



Indoor

FLASHING



L-PLS-1016-2,0x1,0M-TR-W-FB-EL-E-BKZ-IP20

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
160	max. 16 sets in series			240V



L-PLRS-7215-2,0x9,0M-W-WW/W-FB-E-BKZ-IP67

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
1080	max. 5 sets in series			240V



L-PLS-1016-2,0x1,0M-TR-WW/W-FB-EL-E-BKZ-IP20

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
160	max. 16 sets in series			240V






**LED
Rope Lights**




LED rope lights




Outdoor

STATIC




MOQ 1 ROLL

Dimensions of 1 roll = 50 / 100 m



LED rope lights



Outdoor


STATIC



L-DLH-2W-R

without power cord

Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	



L-DLH-2W-W

without power cord


Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	



L-DLH-2W-B

without power cord


Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	



L-DLH-2W-WW

without power cord


Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	



L-DLH-2W-G


without power cord

Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	






LED rope lights




Outdoor

FLASHING



MOQ 1 ROLL

Dimensions of 1 roll = 50 / 100 m




Scan to see the video



L-DLH-2W-W-FB

without power cord


Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	240V



L-DLH-2W-WW/W-FB


without power cord

Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	240V






LED rope lights




Outdoor

STATIC




MOQ 1 ROLL

Dimensions of 1 roll = 50 / 100 m



LED rope lights



Outdoor


STATIC



L-DLH-2W-24V-R

without power cord

Number of metres per roll	Cutting	Number of diodes per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	24V



L-DLH-2W-24V-W

without power cord


Number of metres per roll	Cutting	Number of diodes per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	24V



L-DLH-2W-24V-B

without power cord


Number of metres per roll	Cutting	Number of diodes per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	24V



L-DLH-2W-24V-WW

without power cord


Number of metres per roll	Cutting	Number of diodes per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	24V



L-DLH-2W-24V-G

without power cord

Number of metres per roll	Cutting	Number of diodes per 1 m	Diodes colour	Diameter	Voltage
50 / 100 m	1 m	36		13 mm	24V






How to connect the static LED rope lights


Instruction

In a few easy steps, you can install your Led rope lights.


You need:




1. You can cut the LED strip light every 1 m.




2. Connect together Power cord with male plug connector, then connect them with LED ropelight using Male PIN.




3. Put on shrinking tube on the LED rope light, then connect the male plug connector with LED rope light with pin.



4. Move the transparent tube over connection and heat it using heat gun. Caution — it's hot!



5. Finish by putting on the end cap.






LED
Neon Flex

NEW





Neon Flex



Outdoor

MOQ 1 ROLL


Dimensions of 1 roll = 50 m



L-NFL-SMD2835-120-8X16MM-W

without power cord

Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 m	1 m	120		8 x 16 mm	



L-NFL-SMD2835-120-8X16MM-WW


without power cord

Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 m	1 m	120		8 x 16 mm	






Neon Flex



 Outdoor

MOQ 1 ROLL

Dimensions of 1 roll = 50 m



L-NFL-SMD2835-120-8X16MM-R

without power cord


Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 m	1 m	120		8 x 16 mm	 



L-NFL-SMD2835-120-8X16MM-B

without power cord

Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 m	1 m	120		8 x 16 mm	 



L-NFL-SMD2835-120-8X16MM-G

without power cord


Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Diameter	Voltage
50 m	1 m	120		8 x 16 mm	 






**LED
Animated
light**

Snowdrop LED tube




Outdoor



L-PLRGT-270/5-0,6M-W-W

with power cord


Number of LED	Connection	Cable colour	Diodes colour	Voltage
270	max. 20 sets in series			




L-PLRGT-480/5-1,0M-W-W

with power cord


Number of LED	Connection	Cable colour	Diodes colour	Voltage
480	max. 20 sets in series			



Waterfall



Outdoor



Scan to see the video



L-PLWF-960/10-5M-24V-TR-W-E-IP44

without power cord


Number of LED	Connection	Cable colour	Diodes colour	Voltage
960	no			24V




L-PLWF-960/10-5M-24V-TR-WW-E-IP44

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
960	no			24V



Waterfall




Outdoor

L-PLWF-960/10-5M-24V-TR-B-E-IP44



without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
960	no			24V




Icespark


Outdoor



300 cm



150 cm



75 cm

Scan to see the video



L-PLR-0,75M-37-TR-WW/W-BKZ-IP44

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
37	parallel connection only			



L-PLR-1,5M-75-TR-WW/W-BKZ-IP44


without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
75	parallel connection only			



Icespark

Outdoor



L-PLR-3,0M-150-TR-WW/W-BKZ-IP44

without power cord

Number of LED	Connection	Cable colour	Diodes colour	Voltage
150	parallel connection only			



Meteor



Outdoor



Scan to see the video



L-RIB-MSL-2835-20M-24V-W

without power cord

Number of metres per roll	Cutting	Number of diods per 1 m	Diodes colour	Voltage
20 m	100 cm	120		



L-EC(M)/MSL-PLR-0,3M-W

Set of male plug connector for meteor




Sockets	Cable colour
1	


L-RIB-MSL-2835-20M-24V

Controller for meteor



Sockets	Cable colour
1	






Festoon light



Festoon light

Outdoor



Use ready-made solutions:

You need:

L-E27-PLR-0,5M
Illumination cable with one E27 socket

Sockets	Cable colour
1 (E27) + 1 (EC)	

L-E27-PLR-2,5M
Illumination cable with five E27 sockets


Sockets	Cable colour
5 (E27) + 1 (EC)	

L-PC-PLRS-6A-2.0-BL/W
Power cord

Sockets	Cable colour
2	

Festoon light

Outdoor



Make your own festoon light:

You need:

L-LH-E27

Colour cable

IL-01-BL/W

Cable colour

L-PC-2BLR

Cable colour

Choose your bulbs

See on the next page:





Festoon light



Outdoor

L-G45-E27-W

Bulb thread	Bulb colour	Voltage	Energy efficiency class
E27		240 V	



L-G45-E27-WW

Bulb thread	Bulb colour	Voltage	Energy efficiency class
E27		240 V	



L-G45-E27-O

Bulb thread	Bulb colour	Voltage	Energy efficiency class
E27		240 V	



L-G45-E27-R

Bulb thread	Bulb colour	Voltage	Energy efficiency class
E27		240 V	



L-G45-E27-B

Bulb thread	Bulb colour	Voltage	Energy efficiency class
E27		240 V	






Festoon light



Outdoor

L-G45-E27-G

Bulb thread	Bulb colour	Voltage	Energy efficiency class
E27			



L-G45-E27-P

Bulb thread	Bulb colour	Voltage	Energy efficiency class
E27			



L-G45-E27-Strobo

Bulb thread	Bulb colour	Voltage	Energy efficiency class
E27			



L-G45-E27-RGB

Bulb thread	Bulb colour	Voltage	Energy efficiency class
E27			



Colour spectrum:

